

Al Anwar Ceramic Tiles Co. SAOG

Head Office: Suite no. 301, Beach One Building, Way No: 2601, Shatti Al Qurum, PO Box 143, PC:118, Muscat, Oman **Factory**: P.O Box 1126, Nizwa, P.C. 611, Sultanate of Oman+968-25449165





THE ART **OF DESIGNING** AND CRAFTING



الــشمــس Al-Shams

Al Anwar Ceramic Tiles Company SAOG, Oman is specialized in manufacturing and distribution of finest Ceramic tiles in the region. We offer unique and top-quality Porcelain and Ceramic tiles for various applications.

Our factory in Nizwa, Oman established in 1998 is one of the largest factories for manufacturing tiles in the region. This state of art facility built with machinery and technical collaboration from leading Italian companies has capacity to produce more than 50,000 SQM per day.


Porcelain Collection from Al Shams has been introduced after a meticulous research and feedback from the customers in the retail and the project segments in Middle East. The technical parameters of Al Shams Porcelain tiles are above par compared to the industry standards. The tiles are subject to rigorous quality checks during the various stages of production that we ensure defect free tiles reaches of customers

The designs reflect the latest trend in the industry and it is our promise to bring out the best of the new design to our customers regularly.



WE BELIEVE IN PEOPLE

We believe in human capital and it's potential. We believe in Talent, pro-active thinking and drive to excel. We believe in teamwork and expertise individual bring to the table. We believe that the sum of our talents will synergies the final outcome. We believe in people.




WE BELIEVE IN QUALITY


We select finest of raw material and employ the most innovative technologies to deliver products with outstanding quality. Over 20 years ago, the implementation of a Quality Management System in compliance with the ISO 9001 standard clearly illustrates our commitment in this area. We always seek push the bar higher for our product quality by continues R&D and process reengineering.

INDEX

♦ ALPEN BEIGE 1	♦ L6046 17	♦ OPERA BEIGE 31	♦ IMP _61203	45	FANTASTIC LIGHT	61
♦ ANTIQ CREMA 3	♦ L6051 19	♦PLANK ALMOND 33	♦ IMP _61206	47	FLORENCE CREAMA	63
◆ ATLANTIS BEIGE 5	♦ L6052 21	◆PLANK NATURAL 35	◆ ABSOLUTE BEIGE	49	HUSTON BEIGE	65
♦ L6047 7	♦ L6053 23	♦ SPARKLE WHITE 37	♦ ALPEN BEIGE	51	L6044	67
◆ IMP_ 80018 8	♦ L6054 25	♦BOTTOCHINO BEIGE 39	◆ ANTIQ CREMA	53	MONACO BROWN	69
◆ BELLA CREMA 9	♦ L6055 26	◆IMP_61206 40	◆ ATLANTA WHITE	55	MONACO GREY	71
◆ FANTASTIC LIGHT 11	♦ L6056 27	◆ TRAVERTINO DIANO 41	◆ BELLA CREMA	57	VOLVO BEIGE	73
♦ FORTUNE BEIGE 13	♦ VOLVO BEIGE 28	◆TRAVERTINO LIGHT 43	♦ BOTTOCHINO CLASSIC	59		
◆ L6024 15	♦ L6064 29					







ALPEN BEIGE

PERFECTLY CRAFTED
TOUCHES FOR CREATIVE DESIGNS











ALPEN BEIGE






























ANTIQ CREMA








































ATLANTIS BEIGE

PERFECTLY CRAFTED
TOUCHES FOR CREATIVE DESIGNS











ATLANTIS BEIGE



























PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS
















IMP_ 80018
















BELLA CREMA

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











BELLA CREMA


































FANTASTIC LIGHT

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











FANTASTIC LIGHT






























FORTUNE BEIGE





































































































































































Random Variation -V4


Easy Cleaning Staining Resistance Resistance

Resistance

Frost Proof



















































































PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS















L6055




















PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS















600X600 MM | POLISHED



































































OPERA BEIGE








































PLANK ALMOND

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











PLANK ALMOND




























PLANK NATURAL

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











PLANK NATURAL



















Random Variation -V4


Easy Cleaning Staining Resistance Resistance

Staining Resistance

Frost Proof








SPARKLE WHITE

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











SPARKLE WHITE

























Random Variation -V4

Easy Cleaning Staining Resistance Resistance Resistance Resistance Resistance Resistance







BOTTOCHINO BEIGE

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS



































TRAVERTINO DIANO

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











TRAVERTINO DIANO



























TRAVERTINO LIGHT

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











TRAVERTINO LIGHT
























Its dynamic lines allow users to create endless combinations of complementary colours and materials. A collection that allows users to express their own style with creativity and imagination, to produce designs that reflect a stylish, contemporary nature.





IMP_61203






































IMP_61206
































































ABSOLUTE BEIGE

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS












ABSOLUTE BEIGE









ALPEN BEIGE








































ANTIQ CREMA














































ATLANTA WHITE








































BELLA CREMA











































BOTTOCHINO CLASSIC

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











BOTTOCHINO CLASSIC






























FANTASTIC LIGHT

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











FANTASTIC LIGHT

























FLORENCE CREAMA

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











FLORENCE CREAMA


























HUSTON BEIGE

PERFECTLY CRAFTED
TOUCHES FOR CREATIVE DESIGNS











HUSTON BEIGE













































L6044


















MONACO BROWN

PERFECTLY CRAFTED TOUCHES FOR CREATIVE DESIGNS











MONACO BROWN































MONACO GREY



















MONACO GREY




















VOLVO BEIGE




































TECHNICAL SPECIFICATION

600X600 MM 600X1200 MM

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHO
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROP	ERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROP	ERTIES		'	
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES	'	'	
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			<u>'</u>	
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES		·		
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKING DETAILS

SR. NO.	PRODUCT	NOMINAL SIZE	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600 x 600 mm	4	1.44 Sq. Mtr.
2	VITRIFIED TILES	600 x 1200 mm	2	1.44 Sq. Mtr.