



60X120 WALL / FLOOR CERAMIC TILES COLLECTIONS



About US

Based in Nizwa, we operate six world-class production lines with an annual installed capacity over 18 million sq.m, supported by state - of - the-art Italian technology and advanced digital printing.

For more than two decades, Al Anwar has blended craftsmanship with technology to create tiles that reflect elegance, durability and sophistication.

Guided by our legacy of quality and innovation, we continue to shape modern living with tiles that promise style, strength and enduring beauty.



Introduction

Established

Established in 1998, Al Anwar Ceramic Tiles Company SAOG is the first ceramic tiles manufacturer in Oman and a listed company on the Oman Stock Market.

ISO Standard

With ISO 9001:2015 certification and a strong dealer network, Al Shams is one of the largest-selling ceramic tile brand in the GCC.

Trusted Brand

Our products are trusted across Oman, the GCC and over 20 international markets for their quality, innovation and timeless appeal.

Certification



صنع في عُمان
Made in Oman



ISO 9001:2015

BUREAU VERITAS
Certification



Collections





ARCOS699434




Random

Glossy



ASCOT693244



Random

Glossy

ASHLEY692536/M




Random

Matt



ASPHALT693084/M






Random

Matt



AVENUE693364



Random


Glossy

BAENA-693724



Random

Glossy



BAENA-693726






Random

Glossy






BELICO694914



Random

Glossy

BELMAR692596/M



Random

Matt

BLOC692174/M



Random

Matt





BLOC692174/B/M



Random

Matt



CARBON692864/B/M





Random

Matt



CARBON692864/M



Random

Matt




CASSINI692196/M



Random

Matt

CEPPO699374





Random

Glossy



CORDA692676/M



Random

Matt

CORP690344/M



Random


Matt






CORSICA698816/M

LIDYA692706/M






Random

Matt



DONCIA694584

OLARIA691574/M



Random

Glossy


EDNA698964/M



Random

Matt





EDNA698966/M



Random

Matt

FIRUZE693514/M




Random

Matt

FLUENCE699304




Tiles with imagination



Random

Glossy

GREIGE692254/B/M



Random

Matt



GREIGE692254/M



Random

Matt

HALAS693536



Random

Glossy

HISAR693846/M



Random

Matt




LIBOA699316/M



Random

Matt

LUCERNA693574



Random

Glossy





MAREA693196/M



Random

Matt



MATIZ691484/M





Random

Matt



MELTEM693134/M



Random

Matt



MELTEM693136/M



Random

Matt



MERIT694394/M



Random

Matt


PALADINO690104



Random

Glossy

PERCIA693644






Random

Glossy



PERCY696934




Random

Glossy



PLAIN690010/G



Random

Glossy





PLAIN69001/GL
(GLOSSY)

PLAIN69001/M
(MATT)

PLAIN69001/DAMAC
(SILKY MATT)





PIEMONTE690124




Random

Glossy



REALCE699514



Random

Glossy

SEDON693076/M





Random

Matt



SILEX692486/M



Random

Matt

VELA693426



Random

Glossy

TECHNICAL SPECIFICATION

Quality standard of the tiles manufactured & supplied by Al Anwar Ceramic Tiles Company complies with SASO GSO ISO 13006:2022

Nominal Size : 600 mm x 1200 mm
 Nominal Thickness : 9.5 mm
 Type of Product : Dry Pressed Glazed Ceramic Tile
 Group : BIII, Rectified Tiles
 Ref. Std. : ISO 13006 : 2018 (Annex L)

Test Description	Standard Test Method	Standard Requirements : ISO 13006:2018	Al Anwar Ceramics Specifications
Dimensions and surface quality:			
Surface Quality:	ISO 10545-2	A min. of 95% of the tiles shall be free from visible defects	A min of 98% of the tiles are free from visible defects
Length & Width (N≥15cm)	ISO 10545-2	±0.3%, Max ±1.0mm	±0.10%, ±0.6mm
Thickness(N≥15cm)	ISO 10545-2	±10%, Max ±0.5mm	±5%, ±0.5mm
Straightness of sides(N≥15cm)	ISO 10545-2	±0.3%, Max ±0.8mm	±0.10%, ±0.5mm
Rectangularity(N≥15cm)	ISO 10545-2	±0.3%, Max ±1.5mm	±0.12%, ±0.8mm
Surface Flatness:			
Center curvature, related to diagonal calculated from the work sizes(N≥15cm)	ISO 10545-2	±0.4%, Max ±1.8mm	± 0.2%, ±1.2mm
Edge curvature, related to the corresponding work sizes(N≥15cm)	ISO 10545-2	±0.4%, Max ±1.8mm	±0.2%, ±1.0mm
Warpage, related to the diagonal calculated from the work sizes(N≥15cm).	ISO 10545-2	±0.4%, Max ±1.8mm	±0.2%, ±1.2mm
Physical Properties:			
Water Absorption	ISO 10545-3	Ev >10%, Individual Min 9.0%	Ev >10%, Individual Min 9.0%
Breaking Strength	ISO 10545-4	≥ 600N	>1600N
Modulus of Rupture (N/mm ²)	ISO 10545-4	≥ 12	≥ 30
Crazing Resistance	ISO 10545-11	Required	Pass, >4Cycle
Resistance to chemicals:			
Resistance to Household Chemicals	ISO 10545-13	Minimum GB	Class GA
Stain Resistance:	ISO 10545-14	Minimum Class 3	Min Class 5

Note: This technical specification applies only to Grade-1 quality tiles. Please ensure all tiles are inspected prior to installation, as the company will not entertain any complaints once the tiles have been laid or fixed.

Packing Details

Size	Pcs /Box	M2/Box	Box / Pallet	M2 / Pallet
60 x 120	3.00	2.160	48.00	103.680



Best Technology



Unique Design



Widely Available



Innovative

IDEAL FOR



RESIDENCE



HOTELS



GOVT. OFFICE



MALLS



COMMERCIAL



BANKS



EDUCATIONAL INSTITUTES

FEATURES



Easy to install



Easy to clean



Rectified



Modular



Ecological & sustainable



Chemical resistance



Resistance to staining



Resistance to abrasion

Let's Work
Together

✉ shajialshams@cernizwa.com

🌐 alshams.org

☎ 00968 98511248



Disclaimer :
All ambiances and room settings featured in this catalogue are purely illustrative and intended for presentation purposes. Actual tile designs, shades, patterns, and finishes may differ from the images shown.



Al Anwar Ceramic Tiles Co SAOG
PO BOX : 1126
Postal Code : 611
Nizwa
Sultanate of Oman